

WINDOW HARDWARE

WINDOW OPERATORS



Whitco MK8 Locking Chain Winder Folding Handle

- Chain type locking operator for awning windows



Part No.	Description	Box Qty.
W3802••	Standard Operator	10
W3803••	Non-Corrosive Chain and Body	10
W341100	Whitco Chainwinder Stopper Plug (100mm & 150mm)	100

Color Code	Description
02	Bright Gold
05	Satin Chrome
08	Bright Chrome
11	Silver
12	Mahogany
13	Brown
14	Pottery
16	White

Color Code	Description
17	Black
19	Primrose
21	Merino
23	Doeskin
24	Magnolia
28	Stone Beige
41	White Birch



Timber





Aluminium



uPVC



Awning



Whitco MK8 Non Locking Chain Winder Folding Handle

- Chain type operator for awning windows



Part No.	Description	Box Qty.
W3702••	Standard Operator	10
W3703••	Non-Corrosive Chain and Body	10
W341100	Whitco Chainwinder Stopper Plug (100mm & 150mm)	100

Color Code	Description
02	Bright Gold
05	Satin Chrome
08	Bright Chrome
11	Silver
12	Mahogany
13	Brown
14	Pottery
16	White

Color Code	Description
17	Black
19	Primrose
21	Merino
23	Doeskin
24	Magnolia
28	Stone Beige
41	White Birch



Timber





Aluminium



uPVC



Awning



Whitco
SECURE YOUR WINDOW



Whitco Chainwinder Mounting Brackets

- To fix Whitco Window Winder to aluminium sill sections.

Part No.	Description	Box Qty.
W3513••	Front Fix	50

Color Code	Description	Color Code	Description
17	Black	11	Sliver
16	White		



Awning



Aluminium

Whitco
SECURE YOUR WINDOW



Whitco Chainwinder Mounting Brackets

- To fix Whitco Window Winder to aluminium sill sections.

Part No.	Description	Box Qty.
W3515••	Boral	50

Color Code	Description	Color Code	Description
17	Black	11	Sliver
16	White		



Awning



Aluminium

Whitco
SECURE YOUR WINDOW



Whitco Chainwinder Mounting Brackets

- To fix Whitco Window Winder to aluminium sill sections.

Part No.	Description	Box Qty.
W3516••	Alcan	50

Color Code	Description	Color Code	Description
17	Black	11	Sliver
16	White		



Awning



Aluminium

Truth Roto Gear Operator

- This operator is designed to provide positive control of the sash in any position, achieving up to a 400mm opening.
- Fully operable with fly screens.
- Maximum Sash sizes are determined by limitations of stays 13 series table
- This product is covered by Truth's lifetime mechanical warranty.
- See Color Chart on 1.6



Part No.	Description	Box Qty.
T-11.10.●●.001	Truth Roto Gear Awning Operator	20
T-20008.92	Truth Roto Gear Awning Operator Sash Hook	20
T-11329. ●●	Truth Folding Handle	20



Awning



Timber



Lockwood Elevation Electric Window Control System

Lockwood's Elevation® is an Electric Window Control System designed to control your windows with a touch of a button. Elevation can be configured to reflect the unique layout of any home or commercial building but primarily used to control windows that are hard-to-reach. Elevation caters for both awning and casement windows.

Part No.	Description	Box Qty.
LW-EWAC-300-•••	Lockwood Elevation Actuator	1
LW-EWAC-SNA	Lockwood Elevation Network Adaptor	1
LW-TSD-35-WHT	Lockwood Elevation Touch Key Pad	1
LW-EWAC-SM1500	Lockwood Elevation Actuator Power Suply 1500 MA	1
LW-EWAC-SSL	Lockwood Elevation Sync Loom	1
LM-EWAC-SRS	Lockwood Elevation Rain Sensor and network adaptor	1

Color Code	Description
WH	White
BLK	Black

Color Code	Description
SIL	Sliver



Timber



Aluminium



uPVC



Awning



Casement



Skylight

JPH Electronic Window Control System

- European designed electronic window system with heavy duty stainless steel chain.
- Smooth & Quiet Operation
- Easy Installation
- One Touch Opening
- Modern Slimline Design
- Heavy Duty Stainless Steel Chain

Part No.	Description	Box Qty.
JPH-0000 ••	Operator + 24DC Transformer	1

Casement		
Maximum Weight (kg)	Minimum Width	Maximum Height
53 Kg	300 mm	300 mm

Awning		
Maximum Weight (kg)	Minimum Width	Minimum Height
53 kg	300 mm	900 mm

Color Code	Description
WH	White
BLK	Black

Color Code	Description
SIL	Sliver



Timber



Aluminium



uPVC




Awning



Casement



Skylight



Bristol Awning+Friction Stay

Part Number	Description	Max Sash Weight kg	Max Sash Height mm	Max Sash Width mm	Unit	Box Qty
SC-BP10TH	Awning Stay 254mm 84° opening	14 kg	450 mm	N/A	Pair	25
SC-BP12TH	Awning Stay 305mm 87° opening	16 kg	550 mm	N/A	Pair	25
SC-BP16TH	Awning Stay 402.5mm 60° opening	20 kg	N/A	800 mm	Pair	25
SC-BP20TH	Awning Stay 502.5mm 45° opening	20 kg	1200 mm	N/A	Pair	25
SC-BP24TH	Awning Stay 602mm 40° opening	35 kg	1200 mm	N/A	Pair	25



Timber



Aluminium



Awning


BP10TH




BP12TH




BP16TH



BP20TH



BP24TH



Bristol Casement+Friction Stay

Part Number	Description	Max Sash Weight kg	Max Sash Height mm	Max Sash Width mm	Unit	Box Qty
SC-BP12SH	Casement Stay 305mm 87° opening	24 kg	N/A	650 mm	Pair	25
SC-BP16SH	Casement Stay 414mm 88° opening	30 kg	N/A	800 mm	Pair	25



Timber




Aluminium




Casement


BP12SH



BP16SH



Bristol A Awning Stay



Part Number	Description	Max Sash Weight kg	Max Sash Height mm	Max Sash Width mm	Unit	Box Qty
SC-BP235••	Awning Stay 235mm 45° opening	10 kg	400 mm	N/A	Pair	25
SC-BP335••	Awning Stay 330mm 35° opening	9 kg	1000 mm	N/A	Pair	25
SC-BP440••	Awning Stay 440mm 20° opening	15 kg 43 kg	1800 mm 1200 mm	N/A	Pair	25
SC-BP510••	Awning Stay 512mm 27° opening	12 kg	1300 mm	N/A	Pair	25

NF = Non- Friction



Timber




Aluminium



Awning

[illegible]



Truth 13 Series Awning Hinge

• These hinges balance a sash as it opens for smooth effortless operation. It is recommended to match the size of the hinge to the height and weight of the sash. Proper selection can help prevent problems such as window chatter.

Part No.	Height x Width(Max)	Weight (Max)	Minimum Height	Hinge Length (L)
T-13.13.00.0 ••	355.6 mm x 1500mm	3.2 Kg.	254 mm	245 mm
T-13.14 .00.0 ••	482.6 mm x 1500mm	9.1 Kg.	355.6 mm	355 mm
T-13.15 .00.0 ••	660.4 mm x 1500mm	17.3 Kg.	482.6 mm	475 mm
T-13.16 .00.0 ••	863.6 mm x 1500mm	22.7 Kg	660.4 mm	558 mm
T-13.17 .00.0 ••	1066.8 mm x 1500mm	27.7 Kg	863.6 mm	660 mm
14 Left Hand				15 Right Hand




Timber



Aluminium



Awning



Truth 14 Series Casement Hinge

• These hinges balance a sash as it opens for smooth effortless operation. It is recommended to match the size of the hinge to the height and weight of the sash. Proper selection can help prevent problems such as window chatter.

Part No.	Height x Width(Max)	Weight (Max)	Minimum Width	Hinge Length (L)
T-14.05.00.0 ••	2100 mm x 813 mm	39 Kg.	305 mm	245 mm
03 Left Hand				04 Right Hand
T-14.97.00.0 ••	2100 mm x 1016 mm	44 Kg.	305 mm	330.2 mm
05 Left Hand				06 Right Hand




Timber



Aluminium



Casement



Truth 34 Series Casement Hinge

• Throughout the industry the names Anderberg and Truth have stood for reliable engineering and production, as well as precision made products and excellent support services; but above all this, these names stand for quality. This is most evident in our expertly crafted 4-Bar Hinges

Part No.	Height x Width(Max)	Weight (Max)	Minimum Width	Hinge Length (L)
T-34.59.00.208	1829 mm x 610 mm	45.5 Kg.	406 mm	355 mm
T-35.12.00.200	1778 MM X 813 MM	71.8 Kg.	508 mm	212.7 mm



Timber



Aluminium



uPVC




Casement

Truth 34 Series Awning Hinge



• Throughout the industry the names Anderberg and Truth have stood for reliable engineering and production, as well as precision made products and excellent support services; but above all this, these names stand for quality. This is most evident in our expertly crafted 4-Bar Hinges

Part No.	Height x Width(Max)	Weight (Max)	Minimum Width	Hinge Length (L)
T-34.24.00.400	508 mm x 1500 mm	26.4 Kg.	305 mm	254 mm
T-34.25.00.208	635 mm x 1500 mm	32.2 Kg.	508 mm	304 mm
T-34.27.00.208	737 mm x 1500 mm	45.0 Kg.	584 mm	406 mm
T-34.29. 00.208	1016 mm x 1500 mm	53.2 Kg	864 mm	508 mm
T-34.31. 00.106	1118 mm x 1500 mm	58.6 Kg	1016 mm	609 mm
T-34.86 00.208	1626 mm x 1500 mm	79.5 Kg	1270 mm	711 mm
T-34.87 00.400	2184 mm x 1500 mm	136.05 Kg	1625 mm	711 mm



Timber



Aluminium



uPVC



Awning

INTERLOCK
ASSA ABLOY

Interlock A Series - 33mm x 13mm Cavity



Part No.	Sash Height(Max)	Weight (Max)	Opening Angle	Hinge Length (F)
IN-P1560B	750mm	6kg	45°	230 mm
IN-P509B	400mm	4kg	45°	
IN-P1559B	***	10kg	45°	230 mm
IN-P1561B	1000mm	9kg	35°	330 mm
IN-P1553B	1200mm	43kg	20°	
IN-P1530B	1300mm	12kg	27°	500 mm




Aluminium



uPVC



Awning



INTERLOCK
ASSA ABLOY

Interlock HD6 Series Aluminum - 36mm x 17mm Cavity



Part No.	Sash Height(Max)	Weight (Max)	Opening Angle	Hinge Length (H)
IN-P1532B	600 mm	21 Kg.	50°	300 mm
IN-P1533B	1800 mm	12 Kg.	36°	450 mm
IN-1534B	1050 mm	36 Kg.	36°	600 mm




Aluminium



uPVC



Awning



INTERLOCK
ASSA ABLOY

Interlock 4-B Series



Part No.	Sash Height(Max)	Weight (Max)	Opening Angle	Hinge Length (I)
IN-P1002	600 mm		40°	200 mm
IN-P1002NF	600 mm	10 Kg	40°	200 mm
IN-P1003	800 mm		30°	350 mm
IN-P1003NF	800 mm	25 Kg	30°	350 mm
IN-P1004	1800mm		25°	500 mm
IN-P1004NF	1500mm	40 Kg	25°	500 mm




Aluminium



uPVC



Awning



Interlock DA35 Series


INTERLOCK[®]
ASSA ABLOY

Part No.	Sash Height(Max)	Weight (Max)	Opening Angle	Hinge Length (F)
IN-P294B	650mm	11kg	45°/ 90°	400 mm
IN-P302B	900mm	15kg	30°/ 90°	400 mm
IN-P295B	1200mm	19kg	33°/ 90°	400 mm
IN-P303B	1500mm	24kg	28°/ 90°	400 mm

 Aluminium

 uPVC

 Awning



Interlock 4-BC Series

INTERLOCK[®]
ASSA ABLOY

Part No.	Sash Height(Max)	Weight (Max)	Opening Angle	Hinge Length
IN-P1090	800mm	25kg	90o	230 mm
IN-P1090NF	***	25kg	90o	230 mm
IN-P1120	750mm	20kg	56o	300 mm
IN-P1080	1000mm	40kg	90o	430 mm
IN-P1080NF	***	40kg	90o	430 mm

 Aluminium

 uPVC

 Casement



Whitco
SECURING YOUR HOME



Whitco Awning and Casement Stays

• Robust metal window stays for both casement or awning windows. Available in both Standard (wide) and Narrow track designs for timber or aluminium joinery. Friction versions for manually open sashes and Non-friction versions for mechanically operated sashes.

• Standard Style

Track length	Casement sash width	Casement sash weight	Awning sash height	Awning sash weight
200 mm	Up to 635 mm	10 Kg	Up to 535 mm	6.3 Kg
300 mm	636 – 790 mm	11.8 Kg	536 – 710 mm	7.8 Kg
400 mm	791 – 840 mm	12.3 Kg	711 – 990 mm	10 Kg
500 mm	Not Recommended		991 – 1,220 mm	11.8 Kg

• Narrow Width

Track length	Casement sash width	Casement sash weight	Awning sash height	Awning sash weight
200 mm	Up to 635 mm	10 Kg	Up to 535 mm	6.3 Kg
300 mm	636 – 790 mm	11.8 Kg	536 – 710 mm	7.8 Kg
400 mm	791 – 840 mm	12.3 Kg	711 – 990 mm	10 Kg
500 mm	Not Recommended		991 – 1,220 mm	11.8 Kg

• Non-Friction Stays

Track length	Standard Width	Narrow Width	Box Qty.
200 mm	W0104••	W0204••	30
300 mm	NA	W0208••	30
400 mm	NA	W0212••	20
500 mm	NA	W0216••	20
01	Galvanised	04	Stainless Steel

• Friction Stays

Track length	Standard Width	Narrow Width	Box Qty.
200 mm	W0103••	W0203••	30
300 mm	W0107••	W0207••	30
400 mm	W0111••	W0211••	20
500 mm	W0115••	W0215••	20
01	Galvanised	04	Stainless Steel



Timber





Aluminium



Awning



Casement




Hook Hinges

Part No.	Description	Box Qty.
W3125••	Whitco Bulk Pack	50
W3124••	Whitco Bulk Pack with Screws	75

Color Code	Description
01	Galvanised
13	Brown
14	Pottery

Color Code	Description
16	White
28	Stone Beige






2.14

Truth Limit Device



- When properly installed and operated, the Limit Device will help prevent damage to casement and awning windows under high winds in high-rise applications.

Part No.	Description	Box Qty.
T-99.20.00.001	Concealed Restrictor Stay 130mm	100
T-99.24.00.001	Truth Limit Device - Stainless Steel	100



Timber



Aluminium



uPVC



Awning




Casement

Safety Stays

- With operator safety in mind the Safety Stay offers a non-releasable restrictor for awning and casement windows. Fitted unobtrusively into the window cavity, the Safety Stay is not visible when the window is closed. The restrictor stay allows ventilation with a degree of security, plus child safety – particularly in multi-storey situations.

Part No.	Description	Box Qty.
IN-P1097	Concealed Restrictor Stay 100 mm	100
SC-BPRESTLD HL	Schlegel Stays Restrictor Concealed Stainless Steel	100



Timber



Aluminium



uPVC



Awning



Casement





Truth Homegard Sash Lock

- Truth Hardware's new HomeGard Sash Lock with its smooth contemporary styling and impressive list of features is certain to be a hit.
- The HomeGard Sash Lock has new attractive aesthetics which continue Truth's efforts to design hardware for the 21st century. We have also eliminated the infamous "black hole" from the front of the HomeGard Lock. This change not only improves aesthetics, but also increases weathertightness.
- Exceptional .625" (15.8 mm) reach-out for maximum pull-in of the sash. When properly installed, the HomeGard has been tested to withstand negative air pressure of a minimum 125kg. per lock. The HomeGard Sash Lock is capable of tandem locking when dual locking is required and the #16.53 HomeGard Secondary Lock and tie bar are used.
- Designed to allow easy removal and be fully operable with flyscreens.

Part No.	Description	Box Qty.
T-16.52.●●.300	Truth Homegard Sash Lock - Primary Lock Non-Handed	100
T-16.53.●●.300	Truth Homegard Sash Lock - Secondary Lock Non-Handed	100
T-41268	Truth Homegard Keepers Left Hand	500
T-41269	Truth Homegard Keepers Right Hand	500

Color Code	Description
01	Aluminium
02	Black
03	Bronze
13	Brass*
31	Brushed Brass*

Color Code	Description
11	Coppertone
24	Beige
32	White
35	Bright Chrome*
53	Brushed Chrome*



Timber

Awning

Casement

Austral Pearl Window Lock

- Stylish low profile design.
- Easy to use "push and slide" interior action with concealed finger recess (push plate to unlatch, then use finger recess to slide the door)
- 3mm thick stainless steel beak is secured by a 4-point clamping system.
- Metal catch-plate with anti-lifting pin.
- Key locking and unlocking (optional) from the outside of the door (pin cylinder)
- Egress lock function means the inner mechanism overrides the key locking.
- Australian design and manufacture.

Part No.	Description	Box Qty.
AU-PLW-EA-•••-KA	Austral Pearl Window Lock	10

Color Code	Description	Color Code	Description
BLK	Black	WHT	White
PSLI	Silver		



Timber



Aluminium



uPVC



Sliding



Whitco
SECURING YOUR HOME™




Whitco Series 25 Window Lock

- Slim window pull and latch

Part No.	Description	Box Qty.
W2252••	Whitco Series 25 Window Lock Lockable Left Hand	10
W2251••	Whitco Series 25 Window Lock Lockable Right Hand	10
W2272••	Whitco Series 25 Window Lock Non-Lockable Left Hand	10
W2271••	Whitco Series 25 Window Lock Non-Lockable Right Hand	10

Color Code	Description
02	Bright Gold
05	Satin Chrome
08	Bright Chrome

Color Code	Description
16	White
17	Black



Timber



Aluminium



Awning



Casement

Interlock Wedgeless Deluxe

INTERLOCK[®]
ASSA ABLOY

• This sleek, attractive lockable sliding catch is suitable for both windows & doors. It is available with a range of tongues & strikes to suit almost any profile, as well as being available in mill finish, thus being able to be painted to suit the colour of your extrusion. The Omnia has been tested to 25,000 cycles and 50 kg pulling force..

Part No.	Description	Box Qty.
IN-355 ••	4mm RH Face Fix	1
IN-356 ••	4mm LH Face Fix	1
IN-345 ••	6mm RH Face Fix	1
IN-346••	6mm LH Face Fix	1
IN-8761 ••	Accessories Euro Key	1

Color Code	Description
BL	Black
PPC	Standard Powdercoat On Application


Color Code	Description
PW	Pearl White

Aluminium

uPVC

Awning

Casement



Interlock Wedgeless

INTERLOCK[®]
ASSA ABLOY

• This innovative quality window fastener from Interlock is for use with aluminium or uPVC windows. Patented internationally, this unique window fastener has the 'wedge' incorporated as a folding flap attached to the base of the handle.

Part No.	Description	Box Qty.
IN-322 ••	Low Profile 4mm RH Face Fix	1
IN-323 ••	Low Profile 4mm LH Face Fix	1
IN-332 ••	High Profile 4mm RH Face Fix	1
IN-333 ••	High Profile 4mm LH Face Fix	1
IN-330 ••	High Profile 6mm RH Face Fix	1
IN-331 ••	High Profile 6mm LH Face Fix	1

Color Code	Description
BL	Black
PPC	Standard Powdercoat On Application



Color Code	Description
PW	Pearl White

Aluminium

uPVC

Awning

Casement



Whitco
 SECURING YOUR HOME



Whitco Mini Push Lock

- CYL4™ One Key Security - Can be matched to most door locks for one key convenience High security, robust construction, resists attack Simply push button to lock Solid zinc diecast metal body Stainless steel ferrule included Standard and one way fixing screws supplied Suits a wide variety of applications

Part No.	Description	Box Qty.
W22081••	Whitco Mini Push Lock	20

Color Code	Description
02	Bright Gold
11	Silver
19	Primrose

Color Code	Description
16	White
17	Black



Timber



Aluminium



Awning



Casement



Sliding



Double Hung

Whitco
 SECURING YOUR HOME



Whitco Multi Bolt

- CYL4™ One Key Security - Can be matched to most door locks for one key convenience High security, robust construction, resists attack Concealed fixing for security and style Versatile face fix or side fix design Key to lock, key to unlock Suits a wide variety of applications Enables secure ventilation - (Sliding & Double Hung applications) Standard and one way fixing screws supplied Stainless steel ferrule for timber applications Ideal for double hung windows Strong 8mm steel bolts provided

Part No.	Description	Box Qty.
W22053••	Multi Bolt with short and long thick and Thin Long bolt	16

Color Code	Description
11	Silver
16	White
23	Doeskin

Color Code	Description
17	Black
19	Primrose



Timber



Aluminium



Awning



Casement



Sliding



Double Hung

Whitco Window Bolt

- CYL4™ One Key Security - Can be matched to most door locks for one key convenience High security, robust construction, resists attack Concealed fixing for security and style Key to lock, key to unlock Strong 9.5mm steel bolt Bolt engages without locking for safety Allows window to be locked in closed or secure ventilation position (sliding and double hung windows) Reversible bolt for left or right handed installation Solid zinc diecast metal body Stainless steel ferrule for timber applications

Part No.	Description	Box Qty.
W22033••	Whitco Window Bolt	20

Color Code	Description	Color Code	Description
11	Silver	16	White
19	Primrose	17	Black
23	Doeskin		



Timber



Aluminium



Awning




Casement



Sliding



Double Hung



Whitco Mini Window Bolt

- CYL4™ One Key Security - Can be matched to most door locks for one key convenience High security, robust construction, resists attack Concealed fixing for security and style Key to lock, key to unlock Strong 8mm steel bolt Bolt engages without locking for safety Enables a secure ventilation position (sliding and double hung windows) Reversible bolt for left or right handed installation Solid zinc diecast metal body Stainless steel ferrule for timber applications Suits a wide variety of applications

Part No.	Description	Box Qty.
W22230••	Whitco Mini Window Bolt	20

Color Code	Description	Color Code	Description
11	Silver	16	White
19	Primrose	17	Black
23	Doeskin		



Timber



Awning




Casement



Sliding



Double Hung





Whitco Sliding Push Lock

•CYL4™ One Key Security - Can be matched to most door locks for one key convenience High security, robust construction, resists attack Added security for sliding windows Solid zinc diecast metal body Simply push button to lock Enables secure ventilation Standard and one way fixing screws supplied Concealed fixing for security and style 2 drilling jigs included Side fix packer / jig Installation kit included for front and side fixing

Part No.	Description	Box Qty.
W22014••	Lockable with 12 mm flat strike	10

Color Code	Description
11	Silver
19	Primrose
23	Doeskin

Color Code	Description
16	White
17	Black




Timber



Aluminium



Sliding



Whitco Sliding Window Lock

• Premium zinc diecast metal sliding window lock

Part No.	Description	Box Qty.
W2856••	Lockable with 12 mm flat strike	10
W2857••	Lockable with Timber frame strike	10

Part No.	Description	Box Qty.
W2851••	Non-Lockable with 12 mm flat strike	10
W2852••	Non-Lockable with Timber frame strike	10

Color Code	Description
02	Bright Gold
05	Satin Chrome
08	Bright Chrome
11	Silver
12	Mahogany
13	Brown

Color Code	Description
14	Pottery
16	White
17	Black
19	Primrose
28	Stone Beige
41	White Birch




Timber



Aluminium



Sliding



Whitco Keyed Sash Lock

- Key Lockable swivel action double hung window lock



Part No.	Description	Box Qty.
W2736••	Wide Base including fixing screws & Standard keeper	10
W2733••	Standard base including fixing screws & Slimline keeper	10

Color Code	Description	Color Code	Description
02	Bright Gold	14	Pottery
05	Satin Chrome	16	White
08	Bright Chrome	17	Black
11	Silver	19	Primrose
12	Mahogany	28	Stone Beige
13	Brown	41	White Birch




Timber



Aluminium



Double Hung



Wide Base

Whitco Safety Lock

- Latchable swivel action double hung window lock

Part No.	Description	Box Qty.
W2702••	Wide Base including fixing screws & standard keeper	10
W2790••	Standard including fixing screws & standard keeper	10

Color Code	Description	Color Code	Description
02	Bright Gold	14	Pottery
05	Satin Chrome	16	White
08	Bright Chrome	17	Black
11	Silver	19	Primrose
12	Mahogany	28	Stone Beige
13	Brown	41	White Birch




Timber




Aluminium




Double Hung



Standard Base




Beresfield Keeper




W271604

Dowell Keeper




W272404

Modified Dowell Keeper



W271804

T259 Keeper



W271704



Whitco Sash Lifts



Part No.	Description	Box Qty.
W4102••	Whitco Sash Lifts	100

Color Code	Description
02	Bright Gold
05	Satin Chrome
08	Bright Chrome
11	Silver
13	Brown
41	White Birch

Color Code	Description
14	Pottery
16	White
17	Black
19	Primrose
28	Stone Beige



Timber




Double Hung

Part No.	Description	Box Qty.
SU-•4220	Superior Bras Fitch Fastener Narrow Style	8

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Double Hung



Part No.	Description	Box Qty.
SU-•4036	Superior Brass Fitch Fastener Narrow Style	8

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Double Hung




Part No.	Description	Box Qty.
SU-•3088	Superior Brass Ribbed Hook Sash Lift	20

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Double Hung




Part No.	Description	Box Qty.
SU-•3131	Superior Brass Hook Sash Lift - Oval Based	20

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Double Hung





Part No.	Description	Box Qty.
SU-•3020	Superior Brass Ring Sash Lift 42mm x 18mm Projection 30mm*	20

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Double Hung



Part No.	Description	Box Qty.
DE-•22	Preston Fanlight Operator	10
Continuous Cord is Available in Lengths 2 - 7 meters in 0.5 meter increments		

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Skylight



Part No.	Description	Box Qty.
SU-•3062	Superior Brass Casement Stay Side Fix (Length 300, Projection 30)	2

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Casement



Part No.	Description	Box Qty.
SU-•4184	Superior Brass Casement Stay Side Fix (Length 140 Projection 30)*	2

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Casement

Part No.	Description	Box Qty.
SU-•4183	Superior Brass Quadrant Stay 150mm*	10

Color Code	Description
0	Brass
3	Bright Chrome

Color Code	Description
4	Satin Chrome
2	Antique



Timber



Top Hung



Part No.	Description	Box Qty.
SU-•3016	Superior Brass Casement Stay 300mm*	2

Color Code	Description
0	Brass
3	Bright Chrome

Color Code	Description
4	Satin Chrome
2	Antique



Timber



Awning



Part No.	Description	Box Qty.
SU-•4420	Superior Brass Casement Stay Screwdown 250mm	2
SU-•4421	Superior Brass Casement Stay Screwdown 300mm	2

Color Code	Description
0	Brass
3	Bright Chrome

Color Code	Description
4	Satin Chrome
2	Antique



Timber



Awning



Part No.	Description	Box Qty.
SU-•4182	Superior Brass Telescopic Casement Stay Gravity Stop 300mm	2

Color Code	Description
0	Brass
3	Bright Chrome

Color Code	Description
4	Satin Chrome
2	Antique



Timber



Awning





WINDOW HARDWARE

BRASS HARDWARE



Part No.	Description	Box Qty.
SU-•3063	Superior Brass Casement Fastener Tear Drop*#	8

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber



Casement




Part No.	Description	Box Qty.
SU-5034	Superior Brass Security (rack) Bolt Key	1



Timber



All Window Styles



Part No.	Description	Box Qty.
SU-5032	Superior Brass 32mm Security (Rack) Window Bolt	10
SU-5033	Superior Brass 60mm Security (Rack) Window Bolt	10

Color Code	Description	Color Code	Description
0	Brass	4	Satin Chrome
3	Bright Chrome	2	Antique



Timber