

DOOR HARDWARE

HINGED DOOR CLOSERS



Dorma TS 93 Cam Action Closers With Slide Channel



- More compact, lighter and more elegant.

DORMA has set new standards with its TS 93 cam-action door closer system. Offering further technical refinements and enhanced sophistication, it constitutes an even more impressive specification

Part No.	Description
DO-TS93BN •••	Ts93 Door Closer Slide Arm (Pull Side)
DO-TS93BNRF •••	Ts93 Door Closer Slide Arm H/open (Pull Side)
DO-TS93NG •••	Ts93 Door Closer Slide Arm (Push Side)
DO-TS93NGRF •••	Ts93 Door Closer Slide Arm H/open (Push Side)
Universal Cover plate	

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Dorma TS 83 Rack And Pinion Door Closers



- Easy to fix and even easier to adjust. The door closer for almost every door size and application.

Decades of experience have gone into the development of the DORMA TS83.

The result is user comfort coupled with outstanding versatility. It can be adjusted to suit almost all types of door. It can even be supplied with additional anti-corrosion protection for exposed applications or aggressive conditions.

Part No.	Description
DO-TS83 •••	Ts83 Door Closer B/check Std Arm - Silver
DO-TS83H •••	Ts83 Door Closer H/open Arm - Silver

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors





Dorma BTS 80 Door Springs

• Floor springs designed especially for fire and smoke doors. Wide range of functions, quality assured. CERTIFIED approved for use on certain fire doors: See certificate no. 128 (BTS 80 F and EMB). Complies with requirements of HTM 59 (DOH). PSA approved (MOB H3 03).

Part No.	Description
DO-BTS80A •••	Bts80 Flr Spring Complete Adj H/open (Aluminium)
DO-BTS80T •••	Bts80 Flr Spring Complete Adj H/open (Timber)



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Dorma BTS 84 Door Springs - Fire Rated

• A compact and resistant hydraulic spring, only 40 mm of height and indicated for doors with weight of up to 100 kg. Presented in two power versions: EN 2 and EN 4. Closing speed can be adjusted by two independent valves

Part No.	Description
DO-BTS84A •••	Bts84 Flr Spring Complete Non H/open (Aluminium)
DO-BTS84AH •••	Bts84 Flr Spring Complete 90deg H/open (Aluminium)
DO-BTS84T •••	Bts84 Flr Spring Complete Non H/open (Timber)
DO-BTS84TH •••	Bts84 Flr Spring Complete 90deg H/open (Timber)



Timber



Aluminium



uPVC



Hinged Door



Double Doors



DORMA RTS 85 DOOR CLOSER

The DORMA RTS 85 transom concealed door closer offers a solution for installations where door control must be provided without disturbing the aesthetic appearance of the door. A complete line of accessories is available to accommodate virtually any door and frame configuration.

Part No.	Description
DO-RTS85 •••	Dorma Rts 85 Door Closer
	Specify Ho Or Nho En3-5



Timber



Aluminium



uPVC



Hinged Door



Double Doors

DOOR HARDWARE

HINGED DOOR CLOSERS



Ryobi 60 Series Door Closer

RYOBI

- Ryobi 60 series door closers represent a high quality non fire rated door closer that combines stylish looks with basic operational features at a reasonable cost.
- four models to choose from that suit different door weights.
- supplied with either a standard opening arm or with a parallel arm
- all models have adjustable closing and latching speeds
- non handed and reversible for all situations

Part No.	Description	Door Weight	Box Qty.
RY-62	60 Series Standard Arm	45kg	10
RY-62P	60 Series Parallel Arm	45kg	10
RY-63	60 Series Standard Arm	60kg	10
RY-63P	60 Series Parallel Arm	60kg	10
RY-64	60 Series Standard Arm	75kg	6
RY-64P	60 Series Parallel Arm	75kg	6

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Ryobi 60 Series Door Closer Hold Open

RYOBI

- Ryobi 60 series hold open door closers represent a high quality non fire rated door closer that combines stylish looks with basic operational features at a reasonable cost. These closers have a built in hold open
- four models to choose from that suit different door weights.
- supplied with either a standard opening arm or with a parallel arm
- all models have adjustable closing and latching speeds
- non handed and reversible for all situations

Part No.	Description	Door Weight	Box Qty.
RY-162	60 Series Standard Arm Hold Open	45kg	10
RY-162P	60 Series Parallel Arm Non Open	45kg	10
RY-163	60 Series Standard Arm Hold Open	60kg	10
RY-163P	60 Series Parallel Arm Hold Open	60kg	10

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors



HINGED DOOR CLOSERS

RYOBI®

RYOBI 2100 Overhead Door Closer

- Ryobi 2100 series door closers are a high quality door closer that combines stylish looks with basic operational features
- non handed and reversible for all situations
- fire rated
- adjustable from a size 2 door closer up to a size 4 door closer
- 50 kg up to 85kg weight by using built in adjustments on the closer



Part No.	Description	Box Qty.
RY-D2100BCVS	2100 Series Universal Closer	10

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors

RYOBI®

RYOBI D-2550 Overhead Door Closer

- Ryobi 2550 series is a versatile commercial door closer.
- Features include:
 - power adjustable from 1 • 4 strengths • pre set at a factory 3 setting • suitable for standard & parallel arm fixings with both arms supplied in the box • torque adjustment fitted to the closer to either increase or decrease the power of the closer • suitable for either solid or hollow core doors • fully adjustable closing & latching speed controls
 - fully adjustable backcheck feature • fire rated • non handed



Part No.	Description	Box Qty.
RY-2550	Non Hold-open Standard	10
RY-2550P	Non Hold-open Parallel	10
RY-2550 UNIV	Non Hold-open Universal	10
RY-2550	Hold-open Standard	10
RY-2550P	Hold-open Parallel	10

Color Code	Description
SIL	Silver,



Timber



Aluminium



uPVC



Hinged Door



Double Doors

DOOR HARDWARE

HINGED DOOR CLOSERS



RYOBI D-3550 Overhead Door Closer

RYOBI

- Ryobi 3550 series is a versatile commercial door closer. Features include:
- power adjustable from 2 • 6 strengths
- pre set at a factory 3 setting
- weight versatility to go from 50 kg up to 150kg
- non handed

Part No.	Description	Box Qty.
RY-D3550 DABCS	Non Hold-open Standard	10

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors



RYOBI 8800 Overhead Door Closer

RYOBI

- The design and build quality of the 8800 series should ensure that the closer performs the perfect basic function and provide a lifetime of trouble free service by the latest production technology. The 880 series range includes model which had been successfully type tested for conformity to all of the requirements of EN1154 and EN1634 part 1.

Part No.	Description	Door Weight	Box Qty.
RY-8802 ABCS	8800 Series Std/Universal Arm with Back Check	45 Kg	10
RY-8803 ABCS	8800 Series Std/Universal Arm with Back Check	65 Kg	10
RY-8804 ABCS	8800 Series Std/Universal Arm with Back Check	85 Kg	10

Color Code	Description
SIL	Silver



Timber



Aluminium



uPVC



Hinged Door



Double Doors





4.6 JP HARDWARE SUPPLIES

DOOR HARDWARE

HINGED DOOR CLOSERS



Ryobi Transom Closer (C.O.C)

RYOBI

- Ryobi concealed overhead door closers offer:
- cast iron housing, high tensile cam shaft and ball bearing bottom pivot
- cycle tested to over one million operations.
- fully adjustable in door alignment, vertical positioning, heel to frame positioning via arm, arm channel & bottom pivot
- they are fully adjustable for door closing speed
- available in hold open or non hold open models
- available with opening options of 90 & 105 degrees



Part No.	Description	Door Weight	Box Qty.
RY-30-22	90 degrees hold open	70kg	6
RY-30-32	90 degrees hold open	110kg	6
RY-30-42	90 degrees hold open	170kg	6
RY-30-30	105 degrees hold open	110kg	6
RY-30-23	90 degrees non hold open	70kg	6
RY-30-33	90 degrees non hold open	110kg	6
RY-30-43	90 degrees non hold open	170kg	6
RY-30-21	105 degrees non hold open	70kg	6
RY-30-31	105 degrees non hold open	110kg	6



Part No.	Description	Box Qty.
RY-30ARMCHAN	30 Series Arm Channel Only	1



Part No.	Description	Box Qty.
RY-30ARM	30 Series Adjustable Side Loading Arm Only	1



Part No.	Description	Box Qty.
RY-30FHT SSS	30 Series Top Pivot	1

Part No.	Description	Box Qty.
RY-30FLOOR	30 Series Floor Pivot Set Only	1



Timber



Aluminium



Hinged Door



Double Doors



4.8 JP HARDWARE SUPPLIES

1300V Series Door Closers

The Novas 1300V Series Hydraulic Door Closer comes with a slimline body, compact in size and with power adjustment for maximum flexibility. Applications include regular arm, parallel arm, top jamb, track arm and adjustable backcheck function.



Part No.	Description	Box Qty.
NH-1300VBC •••	1300 Series Universal Adjustable size 2-4 Closer 75kg Door Weight	10
NH-1300VTR •••	1300 Series Slide Arm Adjustable size 2-4 Closer 75kg Door Weight	10
NH-1500VBC •••	1500 Series Universal Adjustable size 2-5 Closer 90kg Door Weight	10
NH-1500VTR •••	1500 Series Slide Arm Adjustable size 2-5 Closer 90kg Door Weight	10



Color Code	Description
SIL	Silver



ASSA ABLOY



Lockwood 7714 Hydraulic Door Closers

- A range of adjustable power door closer units suitable for architectural and commercial applications

Part No.	Description	Box Qty.
LW-7714	7714 Series Door Closer	8
LW-7714H	7714 Series Door Closer Hold Open	8
LW-7714SR	7714 Series Door Slide Rail	8

Color Code	Description
SSS	Satin Stainless Steel
GLD	Gold

Color Code	Description
PSS	Polished Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors



ASSA ABLOY



Lockwood 7724 Hydraulic Door Closers

- A range of power adjustable size 2-4 door closers suitable for architectural and commercial applications. Designed for hinged doors that weigh up to 80kg.

Part No.	Description	Box Qty.
LW-7724	7724 Series Door Closer	10
LW-7724H	7724 Series Door Closer Hold Open	10
LW-7724SR	7724 Series Door Slide Rail	10

Color Code	Description
SIL	Silver
GLD	Gold

Color Code	Description
BRN	Brown
BLK	Black



Timber



Aluminium



uPVC



Hinged Door



Double Doors

DOOR HARDWARE

HINGED DOOR CLOSERS



Lockwood 2616 CAM Action Door Closer with Slide Arm



- The Lockwood 2616 CAM Action Door Closer is a premium, high quality door closing device. When opening a door fitted with a Lockwood 2616 CAM Action Door Closer, the force required is less than that of a rack and pinion type door closer and continues to decrease through the opening arc.

Part No.	Description	Box Qty.
LW-2616xxx	2616 Cam Action Door Closer	2
LW-2616104 SIL	2616 Angle Bracket	2
LW-2616-180 SIL	2616 Mounting Plate	2

Color Code	Description	Color Code	Description
DASSS	Satin Stainless Steel	DAPB	Polished Stainless Brass
DASIL	Silver		



Timber



Aluminium



Hinged Door



Double Doors

Lockwood 7750 Series Floor Springs



- The Lockwood 7750 series floor spring range has been specifically designed to meet situations where pivoted single or double action doors up to 300 kg require positive and consistent operation. Innovative design enables flexibility over a wide range of applications.

Part No.	Description	Box Qty.
LW-7755H905SSS	Non Hold Open	1
LW-7750H105SSS	90° Hold Open	1
LW-7752NBCSSS	105° Hold Open	1



Timber



Aluminium



Hinged Door



Double Doors



ASSA ABLOY



Lockwood 8800 Series Floor Closers

• The Lockwood 8800 Series Floor Closers are designed to provide door control on manually operated double and single action doors in a wide range of commercial applications. The mounting kit provided with the Lockwood 8800 Series will suit glass, timber and aluminium frame door construction as standard.

Part No.	Description	Box Qty.
LW-884•N SSS	Standard Floor Spring Non Hold Open	1
LW-884•H90 SSS	Standard Floor Spring 90° Hold Open	1
LW-884•H105 SSS	Standard Floor Spring 105° Hold Open	1

Code	Description
2	850
4	1100

Code	Description
3	950



Timber



Aluminium



Hinged Door



Double Doors



ASSA ABLOY



Lockwood 9800 Hydraulic Door Closers

• Lockwood 9800 Series Concealed Overhead Transom Door Closers provide a solution for applications where
 Suitable for both single and double action doors.
 • Adjustable closing and latching speeds.
 (Closing from 130° to 15°, latching from 15° to 0°.)
 • All models feature easy to install side load design.
 • Maximum door opening angle of 130°.
 • Mechanical hold-open at 90° & 105°.door control must be provided without disturbing the appearance of the door.

Part No.	Description	Box Qty.
LW-985•N	Non Hold Open	4
LW-985•H90	90° Hold Open	4
LW-985•H105	105° Hold Open	4

Code	Description
2	850
4	1100

Code	Description
3	950



Timber



Aluminium



Hinged Door



Double Doors

DOOR HARDWARE

COMMERCIAL LOCKSETS



Lockwood 3582 Short Backset Vestibule Locks



- A comprehensive range of narrow style mortice locks in a vestibule function with a complimentary range of furniture sold as extras. Features include:
- backset of 23mm as standard
- backsets of 25.4mm, 30mm & 38mm available on request
- stainless steel latchbolt
- fully reversible without disassembly to the lock body
- lock function can be changed from escape function to combination function by a simple manipulation of the hub snibs
- suitable for metal doors with a thickness of 35mm • 50mm. It suits hollow stile aluminium door sections with 37mm minimum internal depth

Part No.	Description	Box Qty.
LW-3582	Lockwood 3582 Series Vestibule - Lock Body Only	10

See table below for other combinations

Color Code	Description	Color Code	Description
CP	Chrome Plate	FB	Florentine Bronze
PB	Polished Brass	SC	Satin Chrome



Timber




Aluminium




Hinged Door




Double Doors




"Z" Cam




"Rabbit" Cam





"X" Cam



"W" Cam



"Y" Cam





ASSA ABLOY



Lockwood 4800 Series Short Backset Mortice

- A slim-line, rectangular brass plate that adds style to your choice of lever. Designed for use with Lockwood 3570 Series and 3580 Series Mortice Latches. Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed. Fixing screws to suit door thickness between 32 and 50 mm. For thicker doors longer screws and spindles must be ordered.
- Also available in 5800 Series on request







Part No.	Description	Box Qty.
LW-4800	Lockwood External Plate Cylinder Hole & No Lever	10
LW-4801/70	Lockwood External Plate Cylinder Hole & Lever	10
LW-4800/70	Lockwood External Plate Cylinder Hole No Lever	10
LW-4904/70	Lockwood Internal Plate Turn Snib & Lever	10
LW-4905/70	Lockwood Internal Plate No Cylinder Hole & Lever	10
LW-4901/70	Lockwood Internal Plate Cylinder Hole & Lever	10

Color Code	Description
CP	Chrome Plate
PB	Polished Brass
BC	Black Chrome Plate

Color Code	Description
------------	-------------

Timber

Hinged Door



LEGEND



Cylinder Hole



Turnknob



Lever

DOOR HARDWARE

COMMERCIAL LOCKSETS



Novas Narrow Style Commerical Locksets



Part No.	Description	Box Qty.
NH-FABKIT01	Novas Narrow Style Cylinder & Turn Kit	10
NH-FABKIT01-30	Novas Narrow Style Cylinder & Turn Kit 30mm Backset	10
NH-FABKIT02	Novas Narrow Style Cylinder & Blank Kit	10
NH-FABKIT02-30	Novas Narrow Style Cylinder & Blank Kit 30mm Backset	10
NH-FABKIT03	Novas Narrow Style Double Cylinder Kit	10
NH-FABKIT03-30	Novas Narrow Style Double Cylinder Kit 30mm Backset	10
NH-FABKIT04	Novas Narrow Style Passage Kit	10



Novas 6000 Series Multi Function Mortice Locks



LOCKWOOD


ASSA ABLOY



Lockwood 3572 Standard Backset Locks

• Various latching functions operated generally by key or handle outside and by turnknob, key or handle inside. These locks comply with building regulations for single-action escape doors. For ease of selection specify primary lock eg 3572SC. This lock can then be easily adapted to suit function required.

Part No.	Description	Box Qty.
LW-3572	Lockwood 60mm Backset Vestibule Exit Door Latch -No Cylinder	10



3572 Standard Backset



Timber



Hinged Door



Double Doors

LOCKWOOD

ASSA ABLOY



Lockwood 3573 Sliding Door Deadlocks

• Various latching functions operated generally by key or handle outside and by turnknob, key or handle inside. These locks comply with building regulations for single-action escape doors. For ease of selection specify primary lock eg 3572SC. This lock can then be easily adapted to suit function required.


Part No.	Description	Box Qty.
LW-3573WT	Lockwood 60mm Backset Sliding Door Deadlock -Cylinder & Turn Adaptor	10
LW-3572YY	Lockwood 60mm Backset Sliding Door Deadlock -D / Cylinder	10



Timber



Sliding Door



3573 Sliding Door

Color Code	Description	Color Code	Description
CP	Chrome Plate	FB	Florentine Bronze
PB	Polished Brass	SC	Satin Chrome

DOOR HARDWARE

COMMERCIAL LOCKSETS



Lockwood Digital DX™ Locks

• Mechanical Digital DX locks provide keyless entry with simple, cost free changing of the digital code combination. Lockwood's Mechanical Digital locking range has led the Australian market for nearly two decades. Today the next generation 'DX' locking system raises the security and durability performance of the Lockwood range to a new and unrivalled level.depth



Part No.	Description	Box Qty.
LW-DGT530	530 Series Digital Entrance Set - 60mm Backset	10

Part No.	Description	Box Qty.
LW-3572DO	3572 Series Digital Lockset 60mm Backset- Key Override	10
LW-3572DK	3572 Series Digital Lockset 60mm Backset - Key Override & Code Lockout	10

Part No.	Description	Box Qty.
LW-3572DG	3572 Series Digital Lockset 60mm Backset	10

Part No.	Description	Box Qty.
LW-3582DO	3582 Series Digital Lockset -23mm Backset	10


Color Code	Description	Color Code	Description
SCDP	Satin Chrome	PBDP	Polished Brass Plate




Timber




Aluminium




L-DGT530



L3572DG



L3572DG



L3582DO



L-DGT530



L-3572DO



L-3572DO



L3582DO



3540 Short Backset Mortice Deadlocks

Designed to meet the needs of a wide variety of turns and levers, 3540 incorporates a simple, durable, secure locking mechanism with a 360 degree key rotation for guaranteed locking

- Short backset, swinging-bolt deadlocks suitable for narrow stile hinged doors. Positive action deadbolt locked or unlocked by either key, turnknob, escape turn or handle. Suitable for sliding doors where lock can be mounted to door jamb and deadbolt engages strike mounted to face of door.

Part No.	Description	Box Qty.
LW-3540	Lockwood 3540 23 mm bolt projection	12



Timber



Aluminium



Hinged Door

3541 Hook Bolt and 3542 Swing Bolt Short Backset Deadlocks

- Short backset, swinging-bolt deadlocks suitable for narrow stile sliding and swing doors. Positive action deadbolt is hooked to engage and lock into a latching or security strike when the bolt is in the thrown position (3541 only). Deadbolt is locked or unlocked by either key, turnknob, escape turn or handle.

Part No.	Description	Box Qty.
LW-3541	Lockwood 3541 28 mm bolt projection	12
LW-3542	Lockwood 3542 35 mm bolt projection	12




Timber



Aluminium



Sliding Door



DOOR HARDWARE

COMMERCIAL LOCKSETS



3540 Short Backset Mortice Lock - Accessories



Part No.	Description	Box Qty.
LW-SP3540-L3	90° Lever - Left	10
LW- SP3540-L2	90° Lever - Right	



Timber



Aluminium



Hinged Door



Double Doors



3540 Short Backset Mortice Lock - Accessories



Part No.	Description	Box Qty.
LW-SP3540-L1	45° Lever	10



Timber



Aluminium



Hinged Door



Double Doors



3540 Short Backset Mortice Lock - Accessories



Part No.	Description	Box Qty.
LW-SP3540-T1	Escape Turn	10



Timber



Aluminium



Hinged Door



Double Doors



3540 Short Backset Mortice Lock - Accessories



Part No.	Description	Box Qty.
LW-SP3540-T2	Teardrop Turn	10



Timber




Aluminium



Hinged Door



Double Doors









ASSA ABLOY



3540 Short Backset Mortice Lock - Accessories

Part No.	Description	Box Qty.
LW-SP3540 -LS	Latch Strike Fabricator Mounting	10
LW-SP3540-SS	Security Strike Fabricator Mounting	10
LW-SP3640-LS	Latching Strike Timber/Metal Jamb	10
LW- SP3640-SS	Security Strike Timber/Metal Jamb	10



Ryobi Series Short Backset Mortice Locks

- Short backset swing bolt deadlock suitable for aluminium narrow style hinged doors
- Two lockbolt projection sizes 22mm and 36mm

Part No.	Description	Box Qty.
RY-ST2001CTS	Cylinder and Turnknob 22 mm bolt projection	12
RY-ST2001DCS	22 mm bolt projection	12
RY-LT2011CTS	Double Cylinder 37 mm bolt projection	12
RY-LT2011DCS	Double Cylinder 37 mm bolt projection	12



Aluminium



Hinged Door



Double Doors

Ryobi Series Hook Bolt

- Short backset swing bolt deadlock suitable for aluminium narrow style sliding doors
- 29mm lockbolt projection

Part No.	Description	Box Qty.
RY-HT2021CTS	Cylinder and Turnknob 29 mm Hook bolt projection	20
RY-HT2021DCS	Double Cylinder 29 mm Hook bolt projection	20


Accessories

Part No.	Description	Box Qty.
RY-20-LEVER	Ryobi Fire Escape Lever	20


Part No.	Description	Box Qty.
JPH-590HSB	Hookbolt Strike Box	1

Part No.	Description	Box Qty.
JPH-590C	Single Cylinder Only	1


Part No.	Description	Box Qty.
JPH-590T	Turn Snib Only	1




Mortice Lock




Hook Bolt




"Z" Cam




"Rabbit" Cam



"X" Cam



"W" Cam



"Y" Cam





Entrance Handles Back to Back 25 x 25 Square Section/Offset

Part No.	Description	Box Qty.
NH-6102430	Square Offset Pull 25x25x300 (CTC) x 325mm	12
NH-6102445	Square Offset Pull 25x25x445 (CTC) x 475mm	12
NH-6102460	Square Offset Pull 25x25x600 (CTC) x 625mm	12
NH-6102475	Square Offset Pull 25x25x750 (CTC) x 775mm	12
NH-6102490	Square Offset Pull 25x25x900 (CTC) x 925mm	12
NH-61024120	Square Offset Pull 25x25x1200 (CTC) x 1225mm	12
NH-61024150	Square Offset Pull 25x25x1500 (CTC) x 1525mm	12

Color Code	Description
SSS	Satin Stainless Steel

Color Code	Description
PSS	Polished Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Entrance Handles Back to Back 50 x 25 Rectangular Section

Part No.	Description	Box Qty.
NH-6102630	Rectangular Stright Pull 25x25x300 (CTC) x 325mm	12
NH-6102645	Rectangular Stright Pull 25x25x445 (CTC) x 475mm	12
NH-6106460	Rectangular Stright Pull 25x25x600 (CTC) x 625mm	12
NH-6102675	Rectangular Stright Pull 25x25x750 (CTC) x 775mm	12
NH-6102690	Rectangular Stright Pull 25x25x900 (CTC) x 925mm	12
NH-61026120	Rectangular Stright Pull 25x25x1200 (CTC) x 1225mm	12
NH-61026150	Rectangular Stright Pull 25x25x1500 (CTC) x 1525mm	12

Color Code	Description
SSS	Satin Stainless Steel

Color Code	Description
PSS	Polished Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors

Entrance Handles Back to Back 32mm D Pull

Part No.	Description	Box Qty.
NH-610023032	D Pull 32 x 300 (CTC) x 332mm	12
NH-610024532	D Pull 32 x 450 (CTC) x 482mm	12
NH-610025032	D Pull 32 x 500 (CTC) x 532mm	12
NH-610026032	D Pull 32 x 600 (CTC) x 632mm	12
NH-610027032	D Pull 32 x 700 (CTC) x 732mm	12
NH-610029032	D Pull 32 x 900 (CTC) x 932mm	12

Color Code	Description
SSS	Satin Stainless Steel

Color Code	Description
PSS	Polished Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Entrance Handles Back to Back 32mm Offset Pull

Part No.	Description	Box Qty.
NH-610043032	Offset Pull 32x300 (CTC) x 332mm	12
NH-610044032	Offset Pull 32x450 (CTC) x 482mm	12
NH-610046032	Offset Pull 32x600 (CTC) x 632mm	12

Color Code	Description
SSS	Satin Stainless Steel

Color Code	Description
PSS	Polished Stainless Steel



Timber



Aluminium



uPVC



Hinged Door




Double Doors





DOOR HARDWARE

COMMERCIAL HANDLES



Part No.	Description	Box Qty.
JPH-B11-1-B16-V	Push Pull Set	12

Color Code	Description
SSS	Satin Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Part No.	Description	Box Qty.
JPH-19178/SS	178 x 19mm Single D/Handle - 45deg Off Set	50

Color Code	Description
SSS	Satin Stainless Steel



Timber



Aluminium



uPVC



Hinged Door



Double Doors



Sliding Doors



Part No.	Description	Box Qty.
JPH-PP230••	230mm Push Pull Handles	50

Color Code	Description	Color Code	Description
BK	Black	C	Clear Anodized
BZ	Bronze	M	Mill
WH	White		

• Other Powder coated colours available on request.



Timber



Aluminium



uPVC

Hinged Door

Double Doors



Part No.	Description	Box Qty.
JPH-FIX	Fixing Ferrules for Push Pull Handles - 2 per Set	100



Timber



Aluminium



uPVC



Hinged Door



Double Doors

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




Novas Glass Patch Fitting Collection

• Novas range of Glass Fittings is designed and manufactured with innovated design concept and advanced manufacturing technology. We are continuously developing the stainless steel glass fittings in manufacturing architectural hardware. Product is manufactured from Grade 304 stainless steel. And Grade 316 stainless steel is also available upon request.

For more information on the Novas Patch fitting range. Please contact your JP hardware representative.

Color Code	Description
SSS	Satin Stainless Steel

Color Code	Description
PSS	Polished Stainless Steel



Part No.	Description
NHNP-PF10	Bottom Patch
NH-PF20	Top Patch With Pivot Insert
NH-PF22	Top Patch Transom Closer Insert.
NH-PF60	Overpanel Patch With Stop
NH-PF30	Overpanel Patch With Pivot
NH-PF72	Overpanel Patch With Pivot And Wall Plate
NH-PF40	Overpanel To Side With Pivot
NH-PF40S	Overpanel To Side With Stop
NH-TP	Top Pivot Mounting Plate
NH-TPR	Top Pivot Threaded Rod M8

Part No.	Description
NH-FP	Floor Pivot
NH-FP5	-Packer 5Mm
NH-FP10	-Packer 10Mm
NH-PL6000	Full Mortise Patch Lock
NH-PLS6000	Maching Glass Strike
NH-PL3000	Narrow Stilefull Mortise Patch Lock
NH-PLS3000	Maching Glass Strike
NH-LEUROB	Bottom Patch Lock - Euro Cylinder
NH-LEUROC	Central Patch Lock - Euro Cylinder
NH-LEURO	Central Patch Lock Strike
NH-EUROTS	Lock Trough, To Suit Euro Bottom Lock

FES20 Locking High Security Electric Door Strike

• The patented FES20 Series high security electric door strikes are manufactured from stainless steel and have the advantage of accepting D.C Voltages from 12 to 36Volts.

The FES20 Series Strikes are pre-drilled for extension lips and the 20M model is provided with full monitoring including true patented "Anti-Tamper." Independently tested, the FES20 Series electric strikes are the strongest of their category.

FES20 Series Strikes now come with a 10mm strike lip as standard, to prevent possible personal injury and damage to clothing as with 15mm lips. The FES20M Strike is SCEC approved for secure areas.

The FES20M, FES20M-R + FES20M-M+FES20M-L2 are all SCEC approved for secure areas.

5 year warranty
Simple Power To Lock/Power To Release interchange
No loose pins and springs
Pre-drilled for extension lips
Mounting kit included
SCEC Approved for secure areas
(FES20M, FES20M-R, FES20M-M, FES20M-L2)
Fire rated
CE/C-Tick
Superior holding strength
SCEC listing

Part No.	Description
SS-FES20	FES20 Un-monitored Strikes
SS-FES20M	FES20 Monitored Strikes



FES10 Locking High Security Electric Door Strike

• The patented small ANSI footprint, FES10 Series Electric Strikes are designed for light commercial and residential applications. They accept voltages of either 12 or 24VDC, are fire tested up to a 4 hour fire resistance rating to both Australian and British Fire Test Standards.

The strikes are easily site-interchangeable Power To Lock (PTL) or Power To Release (PTR) by simply changing over the Barbell mechanism. The device is pre-drilled to cater for extension lips, come with a 5 year warranty and have a holding strength of up to 1300kg. The FES10M version comes with Door Status Sensor (door latch monitoring). The FES10 version is weather resistant IP56 rated.

Stainless steel faceplate and keeper
Patented Barbell mechanism for simple change of locking function
Low power consumption
Compatible with door latch depth of up to 15mm
Weather resistant IP56 (FES10 non monitored only)
Superior holding strength of up to 1300kg
5 year warranty
12 or 24VDC operation
Pre-drilled for extension lips

Part No.	Description
SS-FES10	FES10 Non-monitored electric strike
SS-FES10M	FES10 Monitored electric strike



ISEO®


ISEO Mortice Lock Projection Bolt

- Durable short backset latch and projection or throwbolt deadlock mortice locksets.
- Durable mechanism and stainless front plate
- Strong lever return spring mechanism
- Includes cylinder retaining screw
- Various backsets available
- Use with 8mm square lever spindle
- Use with 85mm pitch furniture
- Projection bolt model includes flat lipped strike plate

Part No.	Description	Box Qty.
IS-741250A0	Iseo Mortice Lock - Projection Bolt 25mm Backset	4
IS-741300A0	Iseo Mortice Lock - Projection Bolt 30mm Backset	4
IS-741350A0	Iseo Mortice Lock - Projection Bolt 35mm Backset	4



Timber



Aluminium



Hinged Door



Double Doors

ISEO®


ISEO Mortice Lock Throw Bolt

- Durable short backset latch and projection or throwbolt deadlock mortice locksets.
- Durable mechanism and stainless front plate
- Strong lever return spring mechanism
- Includes cylinder retaining screw
- Various backsets available
- Use with 8mm square lever spindle
- Use with 85mm pitch furniture
- Projection bolt model includes flat lipped strike plate

Part No.	Description	Box Qty.
	Iseo Mortice Lock - Throw Bolt 25mm Backset	4
	Iseo Mortice Lock - Throw Bolt 30mm Backset	4
	Iseo Mortice Lock - Throw Bolt 35mm Backset	4



Timber



Aluminium



Hinged Door



Double Doors

ISEO Mortice Lock Hook Throw



- Durable short backset latch and projection or throwbolt deadlock mortice locksets.
- Durable mechanism and stainless front plate
- Strong lever return spring mechanism
- Includes cylinder retaining screw
- Various backsets available
- Use with 8mm square lever spindle
- Use with 85mm pitch furniture
- Projection bolt model includes flat lipped strike plate

Part No.	Description	Box Qty.
IS-781304B	Iseo Mortice Lock - Hook Throw 30mm Backset	4
	Iseo 24mm Faceplate - Stainless Steel	4
IS-038000	Iseo Adjustable strike plate	



Timber



Aluminium



Hinged Door



Double Doors





Stainless Steel Euro Cylinder Roller Latch & Dead Bolt

- Double action throw bolt, Reversible latch for left or right hand opening doors, Retractable latch by key, solid brass face plate, striker plate, bolt and latch, Includes dust box (used behind the striker plate) for a more professional finish.

Part No.	Description	Box Qty.
SU-490204	Austyle Roller Lock - Projection Bolt 30mm Backset	1
SU-490206	Austyle Roller Lock - Projection Bolt 45mm Backset	1




Timber



Hinged Door



Double Doors



Austyle Stainless Steel Cylinder Lock

- Stainless Steel face plate and striker plate, locking bolt, latch and internal components. Reversible latch bolt to suit left or right hand opening doors. Retracts lock and latch simultaneously when turning key.

Part No.	Description	Box Qty.
SU-49200	Austyle Mortice Lock - Projection Bolt 25mm Backset	4
SU-49201	Austyle Mortice Lock - Projection Bolt 30mm Backset	4



Timber



Aluminium



uPVC



Hinged Door



Double Doors

Lockwood Optimum Hinged Door Multi-Point Mortice Locks

The Lockwood Optimum Mortice Lock range is easy to install and is available to suit hinged residential aluminium and timber door applications.

Features of the Optimum Hinged Door Multi-Point Mortice Locks

Easily reversible radiused latch bolt enables field selectable handing

Durable mechanism and stainless steel faceplate

Accepts either 7.6mm or 8mm spindle

Latch can be deadlocked by key

Short throw (13mm) and Long throw (24mm) locking bolt options available

Provides multi-point locking when used with shootbolts (4 Point)

Latch only version available (1 Point)

30mm and 40mm backset variants available in 4 Point version

Door thickness: 32mm to 45mm

Lock Status Indication available when used with Palladium Xtra furniture

A range of strikes are available to provide optimal seal compression (strikes must be ordered separately)




Part No.	Description	Box Qty.
LW-OP30/1LAN/SS	Lockwood Optimum 1pt 30mm Backset	10
LW-OP30/2PTS/SS	Lockwood Optimum 2pt 13mm Bolt 30mm Backset	10
LW-OP30/2PTL/SS	Lockwood Optimum 2pt 24mm Bolt 30mm Backset	10
LW-OP50/2PTL/SS	Lockwood Optimum 2pt 24mm Bolt 50mm Backset	10
LW-OP30/2PTL/SSBL	Lockwood Optimum 2pt Bevel Bolt 24mm Bolt 30mm Backset Pk=25	10
LW-OP30/2PTS/SSBL	Lockwood Optimum 2pt Bevel Bolt 30mm Backset Pk=25	10
LW-OPS001SS	Lockwood Striker Striker Plate 24mm - Stainless Steel	10
LW-P211800	Interlock Bi-Fold Extended Strike 51mm - Stainless Steel	10

Brio®

Brio 268 Dual Point Lock

• Brio's new 286 Dual Point Lock is suitable for Brio's exterior folding system Weath-erfold 4s with timber or aluminium panels (also suitable for single hinge panels, French doors etc.). The 180° operation of the low profile handle activates a 25mm throw to lock off doors securely top and bottom. Locking and non-locking options available, all with an integrated escutcheon for elegant, clean lines. No fuss hinge fixing blocks and simple machining make this dual point lock quick and easy to install.



Aluminium



uPVC




Hinged Door



Double Doors


Dual Point Lock for Timber Panels

Hardware Layout



Dual Point Lock for Aluminium Panels

Hardware Layout



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



ASSA ABLOY

Lockwood Palladium And Palladium Xtra Series Door Furniture

• Designed in Australia the Palladium Series of door furniture reflects the best in quality and is blended together with sophisticated designs. The Palladium Series was produced to meet the rigorous aesthetic requirements of the residential markets, while conforming to the ever increasing need for quality into the semi-commercial building segments.

Features and Specifications

Stylish range of contemporary non handed lever designs.

Range of available finishes.

Solid metal lever escutcheon.

The Palladium Series mechanism incorporates a lever handle torsion spring and shuttle mechanism which provides a positive feel and increased product life.

All lever handles are reversible.

Suits 48.5 mm and 85 mm pitch mortice locksets.

Includes 7.6 mm square stepped spindle.



Description	Box Qty.
AriaTM #27 (Available in Stainless Steel - Palladium Plus+)	1
AcaciaTM #29	1
Gidgee® #37	1
Summit® #L1	1

See table below for other combinations

Color Code	Description	Color Code	Description
SC	Satin Chrome	BLK	Black
PPC	Powdercoat	WH	White



Timber



Aluminium



uPVC



Hinged Door




Double Doors




DOOR HARDWARE


DOMESTIC HANDLES




AriaTM #27



Gidgee® #37



AcaciaTM #29





Summit® #L1

Palladium® Xtra Door Furniture



INTERLOCK[®]
ASSA ABLOY



Interlock Verona Handle

• The Verona handle as a lock accessory complements hinged door locks as a quality and stylish door handle option. The Verona is used with short backset lock mechanisms and has a full-grip lever..

Features:

- Can be used with Milton 4-Point, 2-Point, or Locking Latch.
- Strong zinc die-cast construction.
- The handle lever is sprung.
- Conveniently non-handed.
- The interior screws mean a higher level of security as they cannot be accessed from the outside.

Part No.	Description	Box Qty.
LIN-P84050 ••	Handle Sets Entrance	1
LIN-P84051 ••	Interior handle sets	1
LIN-P84052 ••	Patio Handle Sets	1
LIN-P84086 ••	Fixed Handle Sets	1

Color Code	Description	Color Code	Description
B	Black	S	Silver



Timber



Aluminium



uPVC



Single Door



Double Door

DOOR HARDWARE


DOMESTIC HANDLES



Austyle Handle Range

Part No.	Description	Box Qty.
SU-••603	Eden Square Range Handle	1


Color Code	Description	Color Code	Description
13	PVD Brass	33	Chrome Plated
43	Brushed Satin Chrome		



Austyle Handle Range

Part No.	Description	Box Qty.
SU-••600	Sarah Square Range Handle	1


Color Code	Description	Color Code	Description
13	PVD Brass	33	Chrome Plated
43	Brushed Satin Chrome		



Austyle Handle Range

Part No.	Description	Box Qty.
SU-••516	Daisy Round Range Handle	1

Color Code	Description	Color Code	Description
13	PVD Brass	33	Chrome Plated
43	Brushed Satin Chrome		



Austyle Handle Range

Part No.	Description	Box Qty.
SU-••512	Tanya Round Range Handle	1

Color Code	Description	Color Code	Description
13	PVD Brass	33	Chrome Plated
43	Brushed Satin Chrome		



Austyle Handle Range

Part No.	Description	Box Qty.
SU-••519	Raz Round Range Handle	1

Color Code	Description	Color Code	Description
13	PVD Brass	33	Chrome Plated
43	Brushed Satin Chrome		






Austyle Handle Range

Part No.	Description	Box Qty.
SU-517	Leah Round Range Handle	1

Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated




Austyle Handle Range

Part No.	Description	Box Qty.
SU-514	Ilana Round Range Handle	1

Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated



Austyle Handle Range

Part No.	Description	Box Qty.
SU-518	Daniella Round Range Handle	1

Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated




Austyle Handle Range

Part No.	Description	Box Qty.
SU-511	Keren Round Range Handle	1

Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated



Austyle Handle Range

Part No.	Description	Box Qty.
SU-515	Aliza Round Range Handle	1

Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated

DOOR HARDWARE

DOMESTIC HANDLES



Austyle Escutcheons Range



Part No.	Description	Box Qty.
SU-••702	Euro Profile	1
SU-••707	Oval Profile	1



Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated

Austyle Escutcheons Range



Part No.	Description	Box Qty.
SU-••703	Euro Profile	1
SU-••708	Oval Profile	1



Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated

Austyle Escutcheons Range



Part No.	Description	Box Qty.
SU-••701	Euro Profile	1
SU-••706	Oval Profile	1



Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated

Austyle Escutcheons Range




Part No.	Description	Box Qty.
SU-••700	Euro Profile	1
SU-••705	Oval Profile	1



Color Code	Description
13	PVD Brass
43	Brushed Satin Chrome

Color Code	Description
33	Chrome Plated

INTERLOCK[®]
ASSA ABLOY



Interlock Millton Bi-Fold 2 Point Locking

- The Millton bi-fold set provides a residential and light commercial grade 2-point mortice lock with vertical locking rods making it ideal for use on folding door and window applications.

Part No.	Description	Box Qty.
IN-P84077 ••	Double Cylinder, with Rods	1
IN-P84078 ••	Key & Turn knob, with Rods	1
IN-P84047 ••	Half Cylinder keyed, with Rods	1
IN-P84048 ••	Half Cylinder with turn rods	1
IN-P84049 ••	Half cylinder(5 pin) with low profile securiturn	1
IN-P84212 ••	Half cylinder(4 pin) with low profile securiturn	1

Color Code	Description
B	Black
PR	Primrose
BLK	Satin Chrome

Color Code	Description
PW	Pearl White
BC	Bright Chrome
GO	Gold



Aluminium



uPVC



Bi-Fold Door

INTERLOCK[®]
ASSA ABLOY



Interlock Twin Bolt Bi-Fold Lock

- The Twin Bolt lock body has been designed for use on both bi-fold doors and windows. The Twin Bolt combines security features with a practical design, fulfilling the needs created by architectural innovations within the residential market. Suitable for use with aluminium and uPVC doors.

Part No.	Description	Box Qty.
IN-P84217A ••	Twin Bolt Locking Kit with Uno Handle	1
IN-P84216A ••	Twin Bolt Non-Locking Kit with Uno Handle	1

Color Code	Description
B	Black
PR	Primrose
BLK	Satin Chrome

Color Code	Description
PW	Pearl White
BC	Bright Chrome
GO	Gold




Aluminium



uPVC




Bi-Fold Door



Whitco Pin Cylinder

Part No.	Description	Box Qty.
W840100	Whitco 6 Pin Cylinder Locks K/Differ 60 mm	1
W840120	Whitco 6 Pin Cylinder Locks K/Alike 60 mm	1
W846000	Whitco 6 Pin Cylinder Locks K/Alike 70 mm	1



Whitco Pin Cylinder

Interlock Pin Cylinder

Part No.	Description	Box Qty.
IN-P33035	Interlock Double Cylinder - 30/30	1
IN-P33046	Interlock Double Cylinder - 35/35	1



Interlock Cylinder

Austyle Pin Cylinder

Part No.	Description	Box Qty.
SU-49143-••	Austyle 60 mm Cylinder	1
SU-49147-••	Austyle 70 mm Cylinder	1



Timber



Aluminium



uPVC




All Door Styles



Austyle Pin Cylinder

Whitco Cylinder & Turn

Part No.	Description	Box Qty.
W846200	Whitco Cylinder & Turn - Left Hand	1
W846200	Whitco Cylinder & Turn - Right Hand	1



Whitco Cylinder & Turn

Interlock Cylinder & Turn

Part No.	Description	Box Qty.
IN-P33034	Interlock Cylinder and Turnknob - 35/35	1



Interlock Cylinder & Turn

Austyle Cylinder & Turn

Part No.	Description	Box Qty.
SU-49149-••	Austyle Cylinder & Turn- 60 mm	1
SU-49145-••	Austyle Cylinder & Turn- 70 mm	1



Timber



Aluminium



uPVC



All Door Styles




Austyle Cylinder & Turn



DOOR HARDWARE


CYLINDERS



Part No.	Description	Box Qty.
SU-••030	Double Sprung Tube latch	1
SU-••031	Single Sprung Tube latch	1

Color Code	Description
002	Chrome plate, Brass

Color Code	Description
002	Satin Chrome



Part No.	Description	Box Qty.
SU-••016	Privacy Adaptor Kit	1

Includes: tubular latch lock, button snap off points, 2 snap on cover rings, 2 "o" rubber rings(Suits austyle Round handles see page XX)

Color Code	Description
002	Chrome plate, Brass

Color Code	Description
002	Satin Chrome



Part No.	Description	Box Qty.
SU-••027	Self Latching Snib - Sliding Door	1

Color Code	Description
002	Chrome plate, Brass


Color Code	Description
002	Satin Chrome



Part No.	Description	Box Qty.
SU-••018	Self Latching Snib - Hinged Door	1

Color Code	Description
002	Chrome plate, Brass

Color Code	Description
002	Satin Chrome




Part No.	Description	Box Qty.
SU-••026	Roller Catch Tubular Latch	1

Color Code	Description
002	Chrome plate, Brass

Color Code	Description
002	Satin Chrome

[illegible]



McCallum Fast-Fix Hinge A104

- Aluminium entrance doors in high usage situations
- Suitable for either center pocket or front edge glazing systems

Part No.	Description	Box Qty.
MC-A104XX	Aluminium Heavy Duty Fast Fix -	6
MC-A104MSNA XX	Aluminium Heavy Duty Fast Fix -Medium 100mm	6

Hinges	Height x Width	Weight (Kg)
2	Up to 2000 mm x 900 mm	100 Kg
3	Over 2000 mm x 900 mm	100 Kg

Color Code	Description
SNA	Natural Anodised
WH	White
AL	Almond,
GD	Gold

Color Code	Description
BLK	Black,
PR	Primrose,
BZ	Bronze



Aluminium




uPVC



Hinged Door



Double Doors



McCallum Fast-Fix Hinge A105

- Aluminium entrance doors in high usage situations
- Suitable for either center pocket or front edge glazing systems

Part No.	Description	Box Qty.
MC-A105XX	Aluminium Heavy Duty Fast Fix -	6

Color Code	Description
SNA	Natural Anodised
WH	White
AL	Almond,
GD	Gold

Color Code	Description
BLK	Black,
PR	Primrose,
BZ	Bronze



Aluminium



uPVC




Hinged Door



Double Doors

Aluminium Hinges

Part No.	Description	Box Qty.
MC-A67	McCallum Fast Fix - ST3	16



 Aluminium

 Hinged Door

 Double Doors

Stainless Steel Hinges

Part No.	Description	Box Qty.
JPH-FFH ST9 SSS	Stainless Steel Fast Fix - ST9	100
JPH-FFH ST3 SSS	Stainless Steel Fast Fix - ST3	100
MC-S801	Stainless Steel Fast Fix - ST3	100



 Aluminium


 Timber

 Hinged Door

 Double Doors

Stainless Steel Hinges With Wings


Part No.	Description	Box Qty.
MC-S104S	Stainless Steel hinge with wings	100



 Aluminium

 Hinged Door

 Double Doors



Austyle Lift Off Hinge

- 304 Commercial grade stainless steel

Part No.	Description	Box Qty.
SU-45130	Left Off Hinge Left Hand - 89 mm	10
SU-45131	Left Off Hinge Right Hand - 89 mm	10
SU-45132	Left Off Hinge Left Hand - 100 mm	10
SU-45133	Left Off Hinge Right Hand - 100 mm	10



Timber



Hinged Door



Double Doors



Whitco Commercial Fast Fix Parliament Hinge

Part No.	Description	Box Qty.
W384304	Whitco Commercial Fast Fix Parliament Hinge	10



Aluminium



Hinged Door




Double Doors



McCallum Heavy Duty Parliament Hinge

Part No.	Description	Box Qty.
MC-A164	McCallum Heavy Duty Parliament Hinge	10



Aluminium



Timber



Hinged Door




Double Doors

Stainless Steel Butt Hinge

Sold in pairs with screws included

Part No.	Description	Height	Width	Thickness	Box Qty.
SU-45015	Fixed Pin	85 mm	60 mm	2.0 mm	10
SU-45018	Fixed Pin	100 mm	75 mm	2.5 mm	10
SU-45109	Fixed Pin	100 mm	100 mm	2.5 mm	10
SU-45118	Loose Pin	100 mm	75 mm	2.5 mm	10



Aluminium



Timber



Hinged Door




Double Doors

Solid Brass Hinge

Sold in pairs with screws included

Part No.	Description	Height	Width	Box Qty.
SU-5005	Fixed Pin	89 mm	50 mm	20
SU-5006	Fixed Pin	89 mm	89 mm	20
SU-5007	Fixed Pin	100 mm	60 mm	20
SU-5008	Fixed Pin	100 mm	76 mm	20
SU-5009	Fixed Pin	100 mm	100 mm	20
SU-5013	Fixed Pin Parliament	100 mm	100 mm	20
SU-5014	Fixed Pin Parliament	100 mm	127 mm	20
SU-5015	Fixed Pin Parliament	100 mm	152 mm	20
SU-5018	Fixed Pin Broad Butt	100 mm	127 mm	20
SU-5019	Fixed Pin Broad Butt	100 mm	152 mm	20
SU-5016	Loose Pin	85 mm	60 mm	20
SU-5010	Loose Pin	89 mm	89 mm	20
SU-5011	Loose Pin	100 mm	76 mm	20
SU-5012	Loose Pin	100 mm	100 mm	20



Aluminium



Timber



Hinged Door



Double Doors



Yarra View Curve



Yarra View Edge



Yarra View Slim

Austral Yarra View

- An all-metal lock for sliding glass doors. Slim design for doors with a large stiffening wing or narrow frame.

Twin counteracting beaks engage an all-metal catch plate. Self-adjusting catch plate automatically compensates for building movement and door carriage wear.

A range of outer pull designs are available for various applications.

Anti-slam plunger prevents the door being shut with beaks extended, avoiding damage to beaks and catch plate.

Fits Industry-standard three-hole door cutouts (three 9mm diameter holes).

Fits wide range of door stile thicknesses from 21.3mm to 46.4mm.

Suits left-closing and right-closing doors (lock is not handed).

Australian design and manufacture.

- Narrow 30mm footprint suits a wide range of doors, including high strength doors with stiffening wings.

- Interior pull available in 3 contemporary styles : SLIM, EDGE and CURVE -

Twin counteracting beaks engage an all-metal catch plate, providing resistance to jemmying and restraining the door against being lifted from its rails. -

Self-adjusting catch plate is easy to install and automatically adjusts for movement and door wear. -

A range of outer pull designs are available to suit most applications. -

Anti-slam plunger prevents the door being shut with beaks extended, avoiding damage to beaks and catch. -

Optional 'Fat Pack' to install into doors up to 59mm thick. -

Color Code	Description
BLK	Black
SP	Satin Chrome Pearl

Color Code	Description
SIL	Silver
WH	White



Timber



Aluminium



uPVC



Sliding Door



SLIDING DOOR LOCKS

Austral Yarra Ridge Sliding Patio Door Locks



- A strong, all-metal twin pivoting-bolt lock with a self-adjusting catch plate for aluminium and timber framed sliding doors.

Cylinder offset to provide knuckle clearance.

Self-adjusting catch plate; automatically adjusts for building movement.

Anti-slam spring-loaded plunger; beaks only extend when door is fully closed.

Employs Industry-standard three-hole fitting (three 9mm diameter holes).

Twin metal counteracting beaks.

Suits left-closing and right-closing doors (lock is not handed).

Fits wide range of door stile thicknesses from 21.3mm to 46.4mm.

NEW: Cylinders can now be easily fitted to locks on site.

Various lock/handle options available

Various cylinder options available

Color Code	Description	Color Code	Description
BLMT	Matt Black	WHGL	White Gloss
PRGL	Primrose Gloss	PPC	Powdercoat



Timber



Aluminium



uPVC



Sliding Door



Austral Pearl Door Lock



A single-beak sliding door lock to fit aluminium framed doors.

Stylish low-profile design.

Easy to use "push and slide" action with concealed finger recess.

(push plate to unlatch then use finger recess to slide the door).

3mm thick stainless steel beak is secured by a 4-point clamping system.

Metal catch plate with anti-lifting pin.

Key locking and unlocking (optional) from the outside of the door (pin cylinder).

Egress lock function means the inner mechanism overrides the key locking.

Available in Black, White, Silver, or Brown powdercoat finishes.

Australian design and manufacture

Part No.	Description	Box Qty.
AU-PLD-EA-•••-KA	Austral Pearl Door Lock	10

Color Code	Description	Color Code	Description
BLK	Black	WHT	White
PSLI	Silver		



Timber



Aluminium



uPVC



Sliding Door





ASSA ABLOY

Lockwood Onyx Patio Sliding Door Lock

• Description

The Lockwood Onyx Patio Sliding Door Lock incorporates advanced security and safety features making this product the ideal choice for sliding patio door applications.

Style and Function

This range takes design cues from contemporary architectural styling and complements several of Lockwood's most popular levers to provide a harmonious look and feel throughout the home.

The functionality of the range has been enhanced by the intuitive operation of the unique sliding snib and the innovative LockAlert® feature that indicates the lock status at a glance.

Application

Surface mounted lockset suitable for use with most aluminium and timber sliding doors. The flexible chassis coupled with innovative design features results in a non-handed product that is extremely easy to install and suitable for new and most retrofit applications.

Product Range

A wide selection of furniture options are available in the range to suit various sliding door applications. The range includes internal D handles and slim pulls and a variety of external furniture and strike options.

Color Code	Description
BLK	Black
SP	Satin Chrome Pearl

Color Code	Description
SIL	Silver
WH	White



Timber



Aluminium



uPVC



Sliding Door



Lockwood Onyx D Inner Handle



Lockwood Onyx Slim Outer Pull



Lockwood Onyx Slim Inner Pull



Lockwood Onyx Universal Strike

Platform / Suite	Internal Furniture	External Furniture	Strike	Cylinder	Finish
9A	1	B	2	5P	BLK
Platform / Suite Lockwood Patio Door, Style A 9A		External Furniture No External Furniture * X Slim Pull Locking A Slim Pull Non Locking B Flat Outer Pull Locking C Flat Outer Pull Non Locking D Mortice Pull Locking E Mortice Pull Non Locking F Cover Plate G D Handle Locking H D Handle Non Locking		Strike No Strike 0 Surface (Front) Fix 1 Universal Fix 2 Extra Width Surface Fix 3 Side (Face) Fix 4 Surface 15mm Fix 5 Cylinder 5 pin Cylinder/s 5P 6 pin Cylinder/s 6P No Cylinders NC – order cylinder separately	
Internal Furniture No Internal Furniture * 0 D Handle Locking 1 D Handle Non Locking 2 Slim Pull Locking 3 Slim Pull Non Locking 4 D Handle Dummy 5 Slim Handle Dummy 6 DAS Handle Locking (D with aided snib) 7 DAS Handle Non Locking (D with aided snib) 8		* Exterior furniture plate is required to fix internal furniture to door with through screws.		Finish	

Whitco Blaxland Sliding Door Lock

• The Whitco Blaxland offers a new and improved range of features not previously seen in economical double cylinder sliding door locks. From its stylish contoured metal handle, range of powder coat finishes, easy fit pin cylinders and wide range of strikes and outer pulls. It's a durable easy to fit face fix sliding door lock replacement – meeting the requirements of the relevant Australian Standard.

Part No.	Description	Box Qty.
W5030••	“D” Handle off set outer pull Double cylinder K/Alike	10
W5045••	“D” Handle off set outer pull Double cylinder K/Alike	10
W5024••	Dummy Handle 17.5 mm Strike	10

Color Code	Description	Color Code	Description
11	Silver	17	Black
13	Brown	19	Primrose
16	White	24	Magnolia
21	Merino	41	White Birch
14	Pottery		



Timber



Aluminium




uPVC



Sliding Door

Whitco
SECURING YOUR HOME™



Whitco Oxley Sliding Door Lock

• The Whitco Oxley offers a secure, contemporary styled double cylinder sliding patio door lock. Its stylish tough polymer ‘D’ handle is moulded solid to create a one piece handle without infills or coring.

Suitable for door thicknesses from 19 mm to 40 mm

- Strong 2.0 mm thick single stainless steel locking beak with 6 mm horizontal positive adjustment
- Tough polymer internal D handle with zinc diecast lock platform
- Offers greater resistance against corrosion
- Available in either 10 disc or 5 pin C4 cylinder configuration
- Reversible design, suits left hand or right hand door applications
- Dummy models available for bi-parting doors
- Suits the range of Whitco diecast strikes including front face fix and extra width

Color Code	Description
17	Black



Timber



Aluminium




uPVC



Sliding Door

Whitco
SECURING YOUR HOME™






Austyle Sliding Door Lock

- Dual locking pins guide the door into the correct position on closing, locating pin and bolt prevent lifting & removing the door off its tracks, locating pins reduce rattle, high strength steel casing, side opening (teeth) locking bolt..

Part No.	Description	Box Qty.
SU-•9208	Austyle Mortice Lock - Projection Bolt 45mm Backset	1
SU-•9209	Austyle Mortice Lock - Projection Bolt 60mm Backset	1

Color Code	Description
4	Satin Chrome

Color Code	Description
3	Chrome Plate



Timber



Sliding Door

Ace Sliding Door Closer

• Ace door closers have the only hydraulic sliding door closer with slide channel to give longevity. It incorporates door and latch speed plus adjustable spring tension for increased power. It has been designed in accordance with the councils pool access regulations and is suitable for commercial and school applications. All closers come with a 5 year warranty.

Part No.	Description	Max Door Size	Box Qty.
AC-4S	Ace Sliding Door Closer	900 mm	1
AC-4L	Ace Sliding Door Closer	900 mm	1
AC-6L	Ace Sliding Door Closer	1100 mm	1
AC-6S	Ace Sliding Door Closer	1100 mm	1



Timber



Aluminium



uPVC



Sliding Door



Inventco Water Closer

• The Inventco Sliding Door Closer is commonly known as the 'Water' Door Closer due to the fact that it uses user a unique patented speed limiting valve that operates within the door mounted closer tube, which is water filled. The closing speed of the door is suppressed, resulting in a gently latching action. In addition to its use as an automatic screen door closer, it has been extensively used Australia wide to satisfy swimming pool safety laws, which exist in all Australian states and are being adopted throughout the world

Part No.	Description	Box Qty.
IV-WC••	Inventco Water Closer	1
IV-WC WEIGHT	Inventco Supplementary Weights	1

Color Code	Description
BK	Black



Timber




Aluminium



uPVC




Sliding Door





DOOR HARDWARE

SLIDING DOOR EXTRUSION




T-Section

Part No.	Description	Length
JPA-fm126	T-Section	6.0 m

Colour	Description
	Mill
	Bronze
	Natural Anodised#

Colour	Description
	Mill - Drilled & Counter Sunk
	Bronze - Drilled & Counter Sunk




T-Section

Part No.	Description	Length
JPA-FM125	T-Section	6.0 m

Colour	Description
	Mill
	Bronze
	Natural Anodised

Colour	Description
	Mill - Drilled & Counter Sunk
	Bronze - Drilled & Counter Sunk
	Nat. An - Drilled & Counter Sunk




T-Section Sash

Part No.	Description	Length
JPA-FM166	T-Section sash	4.0 m

Colour	Description
	Mill
	Bronze
	Natural Anodised
	Primrose

Colour	Description
	Natural Anodised
	Ham Brown
	Pottery
	White



C-Channel

Part No.	Description	Length
JPA-FM124	C-Channel 38mm	6.0 m

Colour	Description
	Mill
	Bronze

Colour	Description
	Natural Anodised

DOOR HARDWARE


SLIDING DOOR EXTRUSION



C-Channel

Part No.	Description	Length
JPA-FM161	C-Channel 43mm	6.0 m

Colour	Description	Colour	Description
	Mill		Bronze - Drilled & Counter Sunk
	Bronze		



Adjustable Channel

Part No.	Description	Length
JPA-FM162	Adjustable Channel Flat	6.0m
JPA-FM163	Adjustable Channel Lipped	6.0 m

* Available with Woolpile


Color	Description	Color	Description
	Mill		Bronze
	Natural Anodised		



Pelmet Length

Part No.	Description	Length
JPA-FM164	Pelmet Length	6.0 m


Colour	Description	Colour	Description
	Mill		Mill - Drilled & Counter Sunk
	Bronze		Bronze - Drilled & Counter Sunk
	Natural Anodised		N-A - Drilled & Counter Sunk



Bottom Track

Part No.	Description	Length
JPA-FM123	Bottom Track	5.3 m

Colour	Description	Colour	Description
	Mill		Mill - Drilled & Counter Sunk
	Bronze		Bronze - Drilled & Counter Sunk
	Natural Anodised		N-A - Drilled & Counter Sunk





DOOR HARDWARE

SLIDING DOOR EXTRUSION

6



19

Brass Bottom Track

Part No.	Description	Length
JPA-FM500	Brass Bottom track	4.8 m
JPA-FM500D	Brass Bottom Track Drilled	4.8 m

Description
Brass

10



30

Heavy Duty Bottom Track

Part No.	Description	Length
JPA-FM167	T-Section	6.0 m

Colour	Description	Colour	Description
	Mill		Bronze - Drilled & Counter Sunk
	Bronze		Mill - Drilled & Counter Sunk
	Natural Anodised		N-A - Drilled & Counter Sunk

8



12.40


Sash Track

- Fits with JPA-FM166

Part No.	Description	Length
JPA-FM165	Sash Track	4.0 m

Colour	Description	Colour	Description
	Mill		Natural Anodised
	Bronze		

Interlock



Part No.	Description	Length
JPA-FM003NA	Interlock Natural Anodised	4.8 m

* Available with Woolpile


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



DOOR HARDWARE

SLIDING DOOR CAPPING TRACK


6



Capping Track 2

Part No.	Description	Length
AL2 SS	Stainless Steel Capping Track 2	2.4 m


6



Capping Track 3

Part No.	Description	Length
AL3 SS	Stainless Steel Capping Track 3	2.4 m


6



Capping Track 4

Part No.	Description	Length
AL4 SS	Stainless Steel Capping Track 4	2.4 m


6



Capping Track 5

Part No.	Description	Length
AL5 SS	Stainless Steel Capping Track 5	2.4 m

3



Capping Track 6

Part No.	Description	Length
AL6 SS	Stainless Steel Capping Track 6	2.4 m

DOOR HARDWARE

SLIDING DOOR CAPPING TRACK

JP

Capping Track 7

Part No.	Description	Length
AL7 SS	Stainless Steel Capping Track 7	2.4 m

3

Capping Track 8

Part No.	Description	Length
AL8 SS	Stainless Steel Capping Track 8	2.4 m

8

Allegion Briton 376E Panic Bar



The Briton 376E Series is an economical range of push bar devices designed to suit single and double door applications. The 376E Series can be used on aluminium, hollow metal or wood swinging commercial doors. Available as rim and surface mounted vertical panic bolt devices.

Each model in the 376E Series is operated by a horizontal push bar, which when pushed in a downward arc withdraws either the bolts or latch, releasing the door for immediate escape in the event of an emergency.

Features

- Tested up to 600,000 cycles providing durability for everyday use
 - Designed to operate at low forces to ensure that minimum force is required to withdraw latch or bolts
 - Field sizeable to accommodate a range of door openings
 - Optional dogging function available which allows the latch or bolts to be held in the withdrawn position
 - Optional models available include pullman latches • and alarm function
- Optional external trims available for key access • 379 mortice latch designed to be used in conjunction with a Legge 990MF mortice lock (ordered separately) The 10 year warranty provides specifiers and users with assured quality and performance



Lockwood 680 Patio Door Bolt

- A strong, heavy duty, surface mounted patio bolt designed with increased security in mind.

Part No.	Description	Box Qty.
L-680N**	Lockwood 680 Patio Door Bolt With Die Cast Keeper	12
L-681N**	Lockwood 680 Patio Door Bolt With Die Cast Keeper	12

Color Code	Description	Color Code	Description
BLK	Black	BRN	Brown
CP	Chrome Plate	PRM	Primrose
GP	Gold Plated	WH	White
SC	Satin Chrome		




Timber



Aluminium



uPVC



Heavy Duty Lockable Bolt

Part No.	Description
JPH-44142000***	Heavy Duty Lockable Bolt

Color Code	Description	Color Code	Description
SIL	Silver	BLK	Black



Timber



Aluminium



uPVC



All Door Styles



Whitco Patio Bolt

- Premium patio bolt with concealed fixing

Part No.	Description	Box Qty.
W22063**	Slimline	8

Color Code	Description	Color Code	Description
11	Silver	16	White
17	Black		



Timber




Aluminium



uPVC




All Door Styles





DOOR HARDWARE

BOLTS



Concealed Fix Panic Bolts

Part No.	Description	Box Qty.
JPH-1781/300 SC	300 mm Concealed Fix	6
JPH-1781/450 SC	450 mm Concealed Fix	6
JPH-1781/600 SC	600 mm Concealed Fix	6
JPH-1781/900 SC	900 mm Concealed Fix	6

Offset Bolts Available

Color Code	Description
SC	Satin Chrome




Timber



Aluminium



uPVC



Visible Fix Panic Bolts

Part No.	Description	Box Qty.
JPH-1791/300 SCP	300 mm Visible Fix	6
JPH-1791/450 SCP	450 mm Visible Fix	6
JPH-1791/600 SCP	600 mm Visible Fix	6
JPH-1791/900 SCP	900 mm Visible Fix	6

Offset Bolts Available

Color Code	Description
SC	Satin Chrome

Enclosed Fix Panic Bolts

Part No.	Description	Box Qty.
JPH-1831/300SCP	300 mm Enclosed Fix	10
JPH-1831/450SCP	450 mm Enclosed Fix	10
JPH-1831/600SCP	600 mm Enclosed Fix	10
JPH-1831/900SCP	900 mm Enclosed Fix	10
JPH-1832	Floor Plate for 1831 Panic Bolts	1
JPH-1833	Top Keeper for 1831 Panic Bolts	1

Color Code	Description
SC	Satin Chrome



Timber




Aluminium



uPVC



All Door Styles



Concealed Flush Bolt

Part No.	Description	Box Qty.
SU-••030	Superior Brass Flush Bolt 150 mm	12
SU-••031	Superior Brass Flush Bolt 200 mm	12
DA-1901/03	Flush Bolt 300 mm	10
DA-1901/04	Flush Bolt 450 mm	10

Color Code	Description	Color Code	Description
05	Polished Brass	35	Chrome Plated



Timber





Aluminium



uPVC



All Hinged Styles



Flush Bolt

Part No.	Description	Box Qty.
NH-75-202/••/xx	Flush Bolt	10

Length Code	Description	Color Code	Description
300	300mm	450	450mm
600	600mm	900	900mm


Color Code	Description	Color Code	Description
BK	Black	SC	Chrome Plated
WH	White		



Aluminium



uPVC





Part No.	Description	Box Qty.
JPH-250	Floor Mounted Door Stop	10

Color Code	Description
SC	Satin Chrome



Part No.	Description	Box Qty.
JPH-290	Floor Mounted Door Stop	10
JPH-291	Door Stop Spacer Suits Product Code JPH-290	10

Color Code	Description
CP	Chrome Plated

Color Code	Description
SC	Satin Chrome



Part No.	Description	Box Qty.
JPH-400	Floor Mounted Door Stop	10


Color Code	Description
CP	Chrome Plated

Color Code	Description
SC	Satin Chrome



Part No.	Description	Box Qty.
JPH-500	Skirting Mounted Door Stop	10

Color Code	Description
CA	Clear Anodised



Part No.	Description	Box Qty.
SU-3729	Floor/Wall Mounted Magnetic Door Stop	10

Color Code	Description
4	Chrome Plate

Color Code	Description
4	Satin Chrome

Part No.	Description	Box Qty.
JPH-AFP115/••	Flush Pulls 115 x 34mm	10

Color Code	Description	Color Code	Description
CP	Chrome Plate	SC	Satin Chrome



Timber




Aluminium



uPVC

Sliding Doors



Part No.	Description	Box Qty.
JPH-6105	Satin Flush Pull 100 mm x 50 mm	10

Color Code	Description
SC	Satin



Timber




Aluminium



uPVC

Sliding Doors



Part No.	Description	Box Qty.
JPH-6200	Satin Flush Pull 120 mm x 35 mm	10

Color Code	Description	Color Code	Description
CP	Chrome Plated	SC	Satin Chrome
PB	Polished Brass		




Timber



Aluminium



uPVC



Part No.	Description	Box Qty.
JPH-6205	Satin Flush Pull 150 mm x 45 mm	10

Color Code	Description	Color Code	Description
CP	Chrome Plated	SC	Satin Chrome
PB	Polished Brass		




Timber



Aluminium



uPVC



Part No.	Description	Box Qty.
SU-445•	Pull Flush Ring	10

Color Code	Description	Color Code	Description
PB	Polished Brass	SC	Satin Chrome



Timber



Aluminium



uPVC

All Door Styles





Glazing Blocks



Part No.	Description	Qty Ctn	Roll
JPH-PP116•	Setting Block Soft 10mm x 3mm Black	1000	50m
JPH-PP115•	Setting Block Soft 10mm x 5mm Black	1000	50m
JPH-PP111•	Setting Block Soft 10mm x 12mm Black	500	20m
JPH-PP617•	Setting Block Soft 10mm x 14mm Black	500	20m
JPH-PP1214R	Setting Block Soft 28mm x 3mm Black - Double Glazing		50m
JPH-PP1215R	Setting Block Soft 28mm x 6mm Black - Double Glazing		30m
JPH-PP1216R	Setting Block Soft 28mm x 12mm Black - Double Glazing		20m

Glazing Wedges



Part No.	Description	Length
JPH-27-103	3mm Glazing Gap	30 m
JPH-27-102	5mm Glazing Gap	30 m
JPH-27-101	7mm Glazing Gap	30 m

JPH Packers

Part No.	Description	Qty.
JPH-EE01	75 x 37mm Horseshoe Packers - 1.6mm White	200
JPH-EE02	75 x 37mm Horseshoe Packers - 3.2mm Blue	200
JPH-EE03	75 x 37mm Horseshoe Packers - 5.0mm Red	200
JPH-EE04	75 x 37mm Horseshoe Packers - 6.4mm Green	200
JPH-EE05	75 x 37mm Horseshoe Packers - 10.0mm Black	100
JD - PCK90 1.5	90 x 37mm Horseshoe Packers - 1.5mm	1000
JD - PCK90 3.0	90 x 37mm Horseshoe Packers - 3.0mm	1000
JD - PCK90 5.0	90 x 37mm Horseshoe Packers - 5.0mm	1000
JD - PCK90 10.0	90 x 37mm Horseshoe Packers - 10.0mm	500



JPH Backing Rod

Part No.	Description	Qty.
GT-BACKROD10200-C	Backing Rod Polyethylene 10mm x 500m - White	200
GT-BACKROD15100-C	Backing Rod Polyethylene 15mm x 100m - White	200
GT-BACKROD2060-C	Backing Rod Polyethylene 20mm x 100m - White	200





DOOR HARDWARE

DOOR SPIGOTS

Door Spigots



Part No.	Description	Qty.
JPA-FM121	SPIGOT STANDARD SINGLE	100
JPA-FM138	SPIGOT DEEP SINGLE	100
JPA-FM159	SPIGOT SHALLOW SINGLE	100
JPA-FM121SET	SPIGOT STANDARD SET – W/BOLTS	100
JPA-FM138SET	SPIGOT DEEP SET – W/BOLTS	100
JPA-FM139SET	SPIGOT WINGED SET – W/BOLTS	100

DOOR HARDWARE

TOILET ACCESSORIES



Toilet Indicator Accessories Pack

Part No.	Description	Qty.
JPH-36-904B	Toilet Indicator Accessories Pack*	1

Color Code	Description	Color Code	Description
SC	Satin Chrome	CP	Chrome Plated



Spring Hinge

Part No.	Description	Qty.
JPH-36-905	Spring Hinge*	1

Color Code	Description	Color Code	Description
SC	Satin Chrome	CP	Chrome Plated



Gravity Hinge

Part No.	Description	Qty.
JPH-37-0108L	Gravity Hinge Heavy Duty(LH, Pair)*	1
JPH-37-0108R	Gravity Hinge Heavy Duty(RH, Pair)*	1

Color Code	Description	Color Code	Description
SC	Satin Chrome	CP	Chrome Plated



Standard Bumper

Part No.	Description	Qty.
JPH-36-803	Standard Bumper*	1

Color Code	Description	Color Code	Description
SC	Satin Chrome	CP	Chrome Plated



L Shaped Coat Hook - Door Stop*

Part No.	Description	Qty.
JPH-36-904	L Shaped Coat Hook - Door Stop*	1

Color Code	Description	Color Code	Description
SC	Satin Chrome	CP	Chrome Plated





4.70